EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S64	4	("5095303" or "5557714" or "6287121" or "6664986" or "2003048252").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 14:38
S67	1	"20030048252"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 14:42
S68	1	"6466200".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 15:20
S69	15	("5181181" | "5774113" | "6002184" | "6128006" | "6154199").PN. OR ("6466200").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/22 15:22
S71	1	"6424410".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/22 15:29
S70	0	"6424410.pn"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/22 15:29
S72	1	"5963197".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/22 15:30
S73	0	de-04405314-$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 15:34
S74	1	de-19518702-$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 15:35
S75	223720	(cad or autocad or model$4 or simulat$3) and ("3"$1D or "3"$1dimension$2 or three$1dimension$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:40
S76	23874	S75 and (rotat$3 with axis)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:41
S77	7350	S76 and (cursor or mouse or (input$4 adj device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:42

S78	1255	S77 and (("3"$1D or "3"$1dimension$2 or three$1dimension$2) with ((cursor or mouse or (input$4 adj device))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:44
S79	20796	S75 and (rotat$3 near5 axis)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:45
S80	449	S79 and (("3"$1D or "3"$1dimension$2 or three$1dimension$2) near2 ((cursor or mouse or (input$4 adj device))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 15:46
S81	10	("4787051" | "5530455" | "5825350" | "5883617").PN. OR ("6466831").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/22 16:07
S83	215	S80 and translation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:12
S82	6093	S79 and translation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:12
S85	112	S84 and translation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:17
S84	153	S80 and ((four$2 or five or fifth or six$2) near3 freedom)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:17
S86	22	S85 and (dental or tooth)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:33
S87	35	S85 and shift$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:49
S88	16	3dconnexion	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:54
S89	1	"20040046735".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 16:59
S90	1	"20060212154".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 17:06
S91	1	"20040046735".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/22 17:08

S92	1	WO-03027821-$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:19
S93	14881	345/419-420,619,649-653,156-163.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/23 09:49
S95	5107	S93 and S94	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/23 09:50
S94	223720	(cad or autocad or model$4 or simulat$3) and ("3"$1D or "3"$1dimension$2 or three$1dimension$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 09:50
S98	2191	(S96 or S97) and S94	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/23 09:51
S97	4147	703/1-2.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/23 09:51
S96	787	700/98,118.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/23 09:51
S99	501	(S95 or S98) and ((four $2 or five or fifth or six $2) near3 freedom)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 09:52
S100	137	S99 and (("3"$1D or "3"$1dimension$2 or three$1dimension$2) near2 ((cursor or mouse or (input$4 adj device))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 09:53
S101	18689	(cad or autocad or model$4 or simulat$3) and ("3"$1D or "3"$1dimension$2 or three$1dimension$2)	EPO; JPO; DERWENT	OR	ON	2009/01/23 09:54
S102	87	S101 and (("3"$1D or "3"$1dimension$2 or three$1dimension$2) near2 ((cursor or mouse or (input$4 adj device))))	EPO; JPO; DERWENT	OR	ON	2009/01/23 09:55
L15	9	L14 and (parameter and chang$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47

L14	22	L13 and (dental or tooth)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L13	112	L12 and translation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L12	153	L11 and ((four$2 or five or fifth or six$2) near3 freedom)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L11	449	L10 and (("3"$1D or "3"$1dimension$2 or three$1dimension$2) near2 ((cursor or mouse or (input$4 adj device))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L10	20796	L9 and (rotat$3 near5 axis)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L9	223720	(cad or autocad or model$4 or simulat$3) and ("3"$1D or "3"$1dimension$2 or three$1dimension$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:47
L17	338	L10 and ((dental or tooth) and (parameter with chang$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:50
L16	481	L10 and ((dental or tooth) and (parameter same chang$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:50
L18	49	L10 and ((dental or tooth) same (parameter with chang $3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/01/23 12:51

1/23/2009 1:36:00 PM
C:\ Documents and Settings\ tma\ My Documents\ EAST\ Workspaces\ 10564161 search.w sp